



PROMAX USA Professional Tools

Developed in the USA some 26 years ago, PROMAX USA Tools have always subscribed to the highest industry standards to meet with the demands of professionals in the diverse industries of Automotive, Oil & Gas, Mining, Ship Building and Manufacturing.

Promax USA Chrome and Impact Sockets & Accessories are widely recognized and quoted as the standards by which others are judged. Made to exacting specifications, the design, materials and processes are painstakingly monitored to ensure you have the best. Our much applauded IMPACT range is forged from chrome-molybdenum alloy steel, renowned for its strength and durability. The integrity of which is assured in our drop-forged process and precise application of heat and surface durability. The application of heat and surface hardening treatments to delivery sockets for maximum material strength, hardness and surface durability. PROMAX Impact Sockets are made to federal Specification GGG-W-660A and DIN 3121 & 3219.



WARNING!


Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

PROMAX

**IMPACT
SOCKETS
AND
ACCESSORIES**



IMPACT SOCKETS



▶ 3/8" Dr Hexagon Regular Sockets


Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
NA-1006	6mm	30	4.0	10.5	19.0	12	20.0
NA-1007	7mm	30	8.0	11.5	19.0	12	22.0
NA-1008	8mm	30	8.0	12.5	19.0	12	24.0
NA-1009	9mm	30	8.0	14.0	19.0	12	27.0
NA-1010	10mm	30	8.0	15.0	19.0	12	30.0
NA-1011	11mm	30	9.0	17.0	19.0	12	35.0
NA-1012	12mm	30	9.0	18.0	19.0	12	40.0
NA-1013	13mm	30	9.0	19.0	19.0	12	44.0
NA-1014	14mm	30	9.0	20.0	20.0	12	48.0
NA-1015	15mm	30	11.0	22.0	22.0	12	52.0
NA-1016	16mm	30	11.0	24.0	22.0	12	57.0
NA-1017	17mm	30	11.0	25.0	22.0	12	60.0
NA-1019	19mm	30	11.0	27.5	22.0	12	68.0
NA-1020	20mm	30	12.0	28.0	22.0	6	71.0
NA-1021	21mm	30	13.0	30.0	22.0	6	75.0
NA-1022	22mm	30	13.0	32.0	23.0	6	76.0
NA-1024	24mm	30	13.0	34.0	23.0	6	80.0
OA-1006	1/4"	30	4.0	11.0	19.0	12	22.0
OA-1008	5/16"	30	8.0	12.5	19.0	12	27.0
OA-1010	3/8"	30	8.0	14.5	19.0	12	33.0
OA-1011	7/16"	30	9.0	17.0	19.0	12	36.0
OA-1013	1/2"	30	9.0	19.0	19.0	12	46.0
OA-1014	9/16"	30	9.0	20.0	20.0	12	50.0
OA-1016	5/8"	30	11.0	24.0	24.0	12	59.0
OA-1017	11/16"	30	11.0	24.0	24.0	12	63.0
OA-1019	3/4"	30	11.0	26.0	26.0	12	70.0
OA-1020	13/16"	30	13.0	28.0	28.0	6	72.0
OA-1022	7/8"	30	13.0	30.0	30.0	6	77.0
OA-1024	15/16"	30	13.0	32.0	32.0	6	82.0
OA-1025	1"	30	13.0	34.0	34.0	6	86.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS



► 3/8" Dr Bi-Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TNA-1006	6mm	30	4.0	10.5	19.0	12	19.0
TNA-1007	7mm	30	8.0	11.5	19.0	12	21.0
TNA-1008	8mm	30	8.0	12.5	19.0	12	23.0
TNA-1009	9mm	30	8.0	14.0	19.0	12	26.0
TNA-1010	10mm	30	8.0	16.0	19.0	12	28.0
TNA-1011	11mm	30	9.0	17.0	19.0	12	34.0
TNA-1012	12mm	30	9.0	19.0	19.0	12	38.0
TNA-1013	13mm	30	9.0	19.0	22.0	12	43.0
TNA-1014	14mm	30	9.0	20.0	22.0	12	47.0
TNA-1015	15mm	30	11.0	22.0	22.0	12	51.0
TNA-1016	16mm	30	11.0	24.0	22.0	12	56.0
TNA-1017	17mm	30	11.0	25.0	22.0	12	58.0
TNA-1019	19mm	30	13.0	27.5	22.0	12	67.0
TNA-1020	20mm	30	13.0	28.0	22.0	6	70.0
TNA-1021	21mm	30	13.0	30.0	22.0	6	74.0
TNA-1022	22mm	30	15.0	32.0	23.0	6	75.0
TNA-1024	24mm	30	16.0	34.0	23.0	6	78.0
TOA-1006	1/4"	30	4.0	11.0	19.0	12	21.0
TOA-1008	5/16"	30	8.0	12.5	19.0	12	26.0
TOA-1010	3/8"	30	8.0	14.5	19.0	12	32.0
TOA-1011	7/16"	30	9.0	17.0	19.0	12	35.0
TOA-1013	1/2"	30	9.0	19.0	19.0	12	45.0
TOA-1014	9/16"	30	11.0	20.0	22.0	12	49.0
TOA-1016	5/8"	30	12.0	24.0	22.0	12	58.0
TOA-1017	11/16"	30	12.0	24.0	22.0	12	62.0
TOA-1019	3/4"	30	13.0	26.0	22.0	12	69.0
TOA-1020	13/16"	30	14.0	28.0	22.0	6	71.0
TOA-1022	7/8"	30	15.0	30.0	23.0	6	76.0
TOA-1024	15/16"	30	16.0	32.0	23.0	6	81.0
TOA-1025	1"	30	16.0	34.0	23.0	6	85.0




WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches



IMPACT SOCKETS



► 1/2" Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
NB-1208	8mm	39	9	15	25	12	70.0
NB-1209	9mm	39	12	16	25	12	72.0
NB-1210	10mm	39	12	17.5	25	12	76.0
NB-1211	11mm	39	12	18.7	25	12	78.0
NB-1212	12mm	39	12	20	25	12	80.0
NB-1213	13mm	39	12	21	25	12	82.0
NB-1214	14mm	39	12	22.5	25	12	85.0
NB-1215	15mm	39	12	23.5	25	12	86.0
NB-1216	16mm	39	12	25	25	12	88.0
NB-1217	17mm	39	13	26	26	12	90.0
NB-1218	18mm	39	13	27.5	26	12	95.0
NB-1219	19mm	39	13	28.5	28	12	110.0
NB-1220	20mm	39	13	30	30	6	125.0
NB-1221	21mm	39	13	30	30	6	128.0
NB-1222	22mm	39	13	32	30	6	130.0
NB-1223	23mm	39	13	32	30	6	140.0
NB-1224	24mm	46	20	35	30	6	170.0
NB-1225	25mm	46	20	36	30	6	180.0
NB-1226	26mm	51	22	38	30	12	220.0
NB-1227	27mm	51	22	38.5	30	12	230.0
NB-1228	28mm	51	22	40	30	12	240.0
NB-1229	29mm	51	22	40	30	12	243.0
NB-1230	30mm	51	22	42	30	12	250.0
NB-1231	31mm	51	28	44	30	12	255.0
NB-1232	32mm	51	28	44	30	12	260.0
NB-1233	33mm	51	28	44	30	12	265.0
NB-1235	35mm	51	28	44	30	12	272.0
NB-1236	36mm	51	28	49	30	12	280.0




WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

► 1/2" Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
OB-1208	5/16"	39	9	15	22	12	60.0
OB-1210	3/8"	39	12	16	22	12	63.0
OB-1211	7/16"	39	12	18	22	12	70.0
OB-1213	1/2"	39	12	20	22	12	75.0
OB-1214	9/16"	39	12	22	24	12	80.0
OB-1216	5/8"	39	12	25	25	12	84.0
OB-1217	11/16"	39	13	26	26	12	90.0
OB-1219	3/4"	39	13	28	28	12	110.0
OB-1220	13/16"	39	13	30	30	6	120.0
OB-1222	7/8"	39	13	32	32	6	150.0
OB-1224	15/16"	39	13	34	34	6	160.0
OB-1225	1"	39	13	36	36	6	180.0
OB-1227	1-1/16"	39	14	38	38	12	210.0
OB-1229	1-1/8"	39	16	40	38	12	230.0
OB-1230	1-3/16"	41	16	42	38	12	240.0
OB-1231	1-1/4"	41	18	44	38	12	250.0
OB-1233	1-5/16"	45	21	45	38	12	260.0
OB-1235	1-3/8"	50	26	48.5	38	12	270.0
OB-1236	1-7/16"	50	26	50.5	38	12	370.0
OB-1238	1-1/2"	50	26	52.5	38	12	380.0

► 1/2" Dr Bi-Hexagon Regular Sockets



Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TNB-1208	8mm	38	9	15	24	12	53.0
TNB-1209	9mm	38	12	15	24	12	57.0
TNB-1210	10mm	38	12	17	24	12	60.0
TNB-1211	11mm	38	12	18	24	12	62.0
TNB-1212	12mm	38	12	19	24	12	65.0
TNB-1213	13mm	38	12	20	24	12	68.0
TNB-1214	14mm	38	12	22	24	12	70.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

► 1/2" Dr Bi-Hexagon Regular Sockets


Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TNB-1215	15mm	38	12	24	24	12	90.0
TNB-1216	16mm	38	12	24	24	12	110.0
TNB-1217	17mm	38	13	26	26	12	120.0
TNB-1218	18mm	38	13	26	26	12	110.0
TNB-1219	19mm	38	13	28	28	12	100.0
TNB-1220	20mm	38	13	30	30	6	102.0
TNB-1221	21mm	38	13	30	30	6	105.0
TNB-1222	22mm	38	13	32	32	6	120.0
TNB-1223	23mm	38	13	32	32	6	125.0
TNB-1224	24mm	45	19	34	34	6	180.0
TNB-1225	25mm	45	19	36	36	6	185.0
TNB-1226	26mm	50	20	36	36	12	190.0
TNB-1227	27mm	50	20	38	38	12	240.0
TNB-1228	28mm	50	20	40	38	12	238.0
TNB-1229	29mm	50	20	40	38	12	234.0
TNB-1230	30mm	50	20	42	38	12	230.0
TNB-1231	31mm	50	20	44	38	12	240.0
TNB-1232	32mm	50	20	44	38	12	250.0
TNB-1233	33mm	50	25	45	38	12	245.0
TNB-1234	34mm	50	25	48	38	12	238.0
TNB-1235	35mm	50	25	48	38	12	232.0
TNB-1236	36mm	50	25	48	38	12	226.0
TOB-1208	5/16"	38	9	15	25	12	58.0
TOB-1210	3/8"	38	12	17	25	12	61.0
TOB-1211	7/16"	38	12	19	25	12	68.0
TOB-1213	1/2"	38	12	21	25	12	73.0
TOB-1214	9/16"	38	12	22.5	25	12	78.0
TOB-1216	5/8"	38	12	25	25	12	82.0
TOB-1217	11/16"	38	13	27	26	12	88.0
TOB-1219	3/4"	38	13	29	28	12	108.0
TOB-1220	13/16"	38	13	31	30	6	118.0
TOB-1222	7/8"	38	13	32.5	32	6	148.0
TOB-1224	15/16"	45	19	35	35	6	158.0
TOB-1225	1"	45	19	37	37	6	178.0
TOB-1227	1-1/16"	50	20	39	39	12	208.0
TOB-1229	1-1/8"	50	20	41	38	12	228.0
TOB-1230	1-3/16"	50	20	42.5	38	12	238.0
TOB-1231	1-1/4"	50	20	45	38	12	248.0
TOB-1233	1-5/16"	50	25	46.5	38	12	258.0
TOB-1235	1-3/8"	50	26	47	38	12	268.0
TOB-1236	1-7/16"	50	26	48.5	38	12	368.0
TOB-1238	1-1/2"	50	26	50.5	38	6	378.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS



► 1/2" Dr Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QB-1208	8mm	79	13	15	25	6	131.0
QB-1209	9mm	79	14	16	25	6	135.0
QB-1210	10mm	79	14	17.5	25	6	140.0
QB-1211	11mm	79	14	18.5	25	6	150.0
QB-1212	12mm	79	14	20	25	6	160.0
QB-1213	13mm	79	14	21	25	6	165.0
QB-1214	14mm	79	17	22.5	25	6	170.0
QB-1215	15mm	79	17	23.7	30	12	225.0
QB-1216	16mm	79	17	25	30	12	230.0
QB-1217	17mm	79	17	26	30	12	235.0
QB-1218	18mm	79	17	27.5	30	12	250.0
QB-1219	19mm	79	19	28.5	30	12	260.0
QB-1220	20mm	79	19	30	30	12	270.0
QB-1221	21mm	79	24	30	30	12	280.0
QB-1222	22mm	79	24	32	30	6	290.0
QB-1223	23mm	79	24	32	30	6	270.0
QB-1224	24mm	79	24	35	30	6	330.0
QB-1225	25mm	79	24	36	30	6	340.0
QB-1226	26mm	79	24	38	30	6	380.0
QB-1227	27mm	79	54	38.5	30	6	390.0
QB-1228	28mm	79	54	40	30	6	400.0
QB-1229	29mm	79	54	40	30	6	410.0
QB-1230	30mm	79	54	42	30	6	430.0
QB-1231	31mm	79	54	43	30	6	440.0
QB-1232	32mm	79	54	44	30	6	450.0
QB-1233	33mm	79	54	45	30	6	500.0
QB-1235	35mm	79	54	47	30	6	530.0
QB-1236	36mm	79	54	49	30	6	570.0
RB-1208	5/16"	78	13	15	22	6	107.0
RB-1210	3/8"	78	14	16	22	6	110.0
RB-1211	7/16"	78	14	18	22	6	120.0



WARNING!


Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

▶ 1/2" Dr Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
RB-1213	1/2"	78	14	20	22	6	130.0
RB-1214	9/16"	78	17	22	24	6	160.0
RB-1216	5/8"	78	17	24	24	12	180.0
RB-1217	11/16"	78	17	26	26	12	200.0
RB-1219	3/4"	78	19	28	28	12	220.0
RB-1220	13/16"	78	24	30	30	12	250.0
RB-1222	7/8"	78	24	32	32	6	280.0
RB-1224	15/16"	78	24	34	34	6	320.0
RB-1225	1"	78	24	36	36	6	360.0
RB-1227	1-1/16"	78	24	38	38	6	400.0
RB-1229	1-1/8"	78	54	40	38	6	430.0
RB-1230	1-3/16"	78	54	42	38	6	420.0
RB-1231	1-1/4"	78	54	44	38	6	410.0
RB-1233	1-5/16"	78	54	45	38	6	460.0
RB-1235	1-3/8"	78	54	48.5	38	6	500.0
RB-1236	1-7/16"	78	54	50.5	38	6	540.0
RB-1238	1-1/2"	78	54	52.5	38	6	620.0

▶ 1/2" Dr Bi-Hexagon Deep Sockets



Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QB1-1208	8mm	83	13	15	25	16	129.0
QB1-1209	9mm	83	14	16	25	16	133.0
QB1-1210	10mm	83	14	17.5	25	6	138.0
QB1-1211	11mm	83	14	19	25	6	148.0
QB1-1212	12mm	83	14	20	25	6	158.0
QB1-1213	13mm	83	14	21	25	6	163.0
QB1-1214	14mm	83	24	22.5	25	6	168.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

► 1/2" Dr Bi-Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QB1-1215	15mm	83	24	23.5	30	12	223.0
QB1-1216	16mm	83	24	25	30	12	228.0
QB1-1217	17mm	83	24	26.5	30	12	230.0
QB1-1218	18mm	83	24	27.5	30	12	248.0
QB1-1219	19mm	83	24	29	30	12	250.0
QB1-1220	20mm	83	24	30	30	12	268.0
QB1-1221	21mm	83	24	31	30	12	280.0
QB1-1222	22mm	90	24	32.5	30	6	288.0
QB1-1223	23mm	90	24	34	30	6	268.0
QB1-1224	24mm	90	24	35	30	6	328.0
QB1-1225	25mm	90	24	36	30	6	347.0
QB1-1226	26mm	90	24	38	30	6	378.0
QB1-1227	27mm	90	24	39	30	6	388.0
QB1-1228	28mm	90	24	40	30	6	398.0
QB1-1229	29mm	90	24	41	30	6	408.0
QB1-1230	30mm	90	24	42.5	30	6	428.0
QB1-1231	31mm	90	24	44	30	6	438.0
QB1-1232	32mm	90	24	45	30	6	448.0
QB1-1233	33mm	90	35	46.5	30	6	498.0
QB1-1234	34mm	90	36	48	30	6	510.0
QB1-1235	35mm	90	37	50	30	6	528.0
QB1-1236	36mm	90	38	52	30	6	568.0
RB1-1206	1/4"	83	6	13	25	6	100.0
RB1-1208	5/16"	83	13	15	25	6	105.0
RB1-1210	3/8"	83	14	17	25	6	108.0
RB1-1211	7/16"	83	14	19	25	6	118.0
RB1-1213	1/2"	83	14	21	25	6	128.0
RB1-1214	9/16"	83	24	22.5	25	6	158.0
RB1-1216	5/8"	83	24	25	28	12	178.0
RB1-1217	11/16"	83	24	27	30	12	198.0
RB1-1219	3/4"	83	24	29	30	12	218.0
RB1-1220	13/16"	83	24	31	30	12	248.0
RB1-1222	7/8"	90	24	32.5	30	6	278.0
RB1-1224	15/16"	90	24	35	30	6	318.0
RB1-1225	1"	90	24	37	30	6	358.0
RB1-1227	1-1/16"	90	24	39	30	6	398.0
RB1-1229	1-1/8"	90	24	41	30	6	428.0
RB1-1230	1-3/16"	90	24	42.5	30	6	418.0



WARNING!


Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

▶ 1/2" Dr Bi-Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
RB1-1231	1-1/4"	90	24	45	30	6	408.0
RB1-1233	1-5/16"	90	35	46.5	30	6	458.0
RB1-1235	1-3/8"	90	37	49.5	30	6	498.0
RB1-1236	1-7/16"	90	39	51	30	6	538.0
RB1-1238	1-1/2"	90	40	53	38	6	618.0

▶ 1/2" Dr Torx Thin Walled Regular Sockets





Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TXE-1210	E10	38	7.5	13	25.0	12	60.0
TXE-1211	E11	38	8	14	25.0	12	65.0
TXE-1212	E12	38	8.5	15	25.0	12	67.0
TXE-1214	E14	38	10	17	25.0	12	70.0
TXE-1216	E16	38	11	18.5	25.0	12	75.0
TXE-1218	E18	38	12	20.5	25.0	12	80.0
TXE-1220	E20	38	13.5	22.5	30.0	6	120.0
TXE-1222	E22	45	18	24.5	30.0	6	140.0
TXE-1224	E24	45	18	26.5	30.0	6	150.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS



▶ 1/2" Dr Hexagon Thin Walled Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QBT-1208	8mm	79	13	14	22	12	80.0
QBT-1209	9mm	79	14	14.5	22	12	85.0
QBT-1210	10mm	79	14	15.5	22	12	90.0
QBT-1211	11mm	79	14	16.7	22	12	95.0
QBT-1212	12mm	79	14	18	22	12	110.0
QBT-1213	13mm	79	14	19.2	24	12	125.0
QBT-1214	14mm	79	17	21	24	12	140.0
QBT-1215	15mm	79	17	21.7	24	12	150.0
QBT-1216	16mm	79	17	23	24	12	160.0
QBT-1217	17mm	79	17	24	24	12	170.0
QBT-1218	18mm	79	17	25	25	12	180.0
QBT-1219	19mm	79	19	26	26	12	190.0
QBT-1220	20mm	79	19	27.5	27.5	12	195.0
QBT-1221	21mm	79	24	28	28	12	200.0
QBT-1222	22mm	79	24	29.5	29.5	6	210.0
QBT-1223	23mm	79	24	30.5	30.5	6	220.0
QBT-1224	24mm	79	24	32	32	6	250.0
QBT-1225	25mm	79	24	33	33	6	290.0
QBT-1226	26mm	79	24	35	35	6	330.0
QBT-1227	27mm	79	24	36	36	6	340.0
QBT-1228	28mm	79	24	37.5	37.5	6	350.0
QBT-1229	29mm	79	54	38.5	38	6	360.0
QBT-1230	30mm	79	54	40	38	6	380.0
QBT-1231	31mm	79	54	41	38	6	390.0
QBT-1232	32mm	79	54	42	38	6	400.0




WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches



IMPACT SOCKETS



► 3/4" Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
NC-1913	13mm	51	12	22	38	12	185.0
NC-1914	14mm	51	12	25.5	38	12	190.0
NC-1915	15mm	51	12	26	38	12	194.0
NC-1916	16mm	51	12	27	38	12	220.0
NC-1917	17mm	51	12	29	38	12	224.0
NC-1918	18mm	51	12	30	38	12	227.0
NC-1919	19mm	51	14	30	38	12	235.0
NC-1920	20mm	53	16	31	38	12	240.0
NC-1921	21mm	53	16	32	38	12	250.0
NC-1922	22mm	53	16	34	38	12	260.0
NC-1923	23mm	53	16	35	38	12	265.0
NC-1924	24mm	53	16	36	38	12	270.0
NC-1925	25mm	53	16	38	38	12	275.0
NC-1926	26mm	53	16	40	38	12	280.0
NC-1927	27mm	53	16	40	38	12	285.0
NC-1928	28mm	53	21	42	42	12	290.0
NC-1929	29mm	53	21	42	42	12	310.0
NC-1930	30mm	53	21	44	44	12	360.0
NC-1931	31mm	53	21	44	44	12	365.0
NC-1932	32mm	53	21	44	44	12	373.0
NC-1933	33mm	57	23	47	44	12	410.0
NC-1934	34mm	57	23	48	44	12	420.0
NC-1935	35mm	57	23	50	44	12	450.0
NC-1936	36mm	57	23	51	44	6	460.0
NC-1937	37mm	57	24	51	44	6	463.0
NC-1938	38mm	57	24	53	44	6	470.0
NC-1939	39mm	63	28	56	44	6	575.0
NC-1940	40mm	63	28	56	44	6	580.0
NC-1941	41mm	63	28	58	44	6	600.0
NC-1942	42mm	63	28	61	44	6	675.0
NC-1943	43mm	64	27	63	44	6	740.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

► 3/4" Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
NC-1944	44mm	64	27	65	44	6	772.0
NC-1945	45mm	64	27	66	44	6	795.0
NC-1946	46mm	64	27	67	44	6	820.0
NC-1947	47mm	69	32	68	44	6	870.0
NC-1948	48mm	69	32	69	44	6	890.0
NC-1949	49mm	69	34	70	44	6	960.0
NC-1950	50mm	73	35	71	54	6	1,105.0
NC-1952	52mm	73	35	74	54	6	1,220.0
NC-1953	53mm	73	35	75	54	6	1,250.0
NC-1954	54mm	73	35	77	54	6	1,265.0
NC-1955	55mm	75	35	77	54	1	1,290.0
NC-1956	56mm	75	35	80	54	1	1,390.0
NC-1958	58mm	75	35	82	54	1	1,410.0
NC-1960	60mm	75	35	84	54	1	1,480.0
NC-1963	63mm	75	35	86	54	1	1,505.0
NC-1965	65mm	79	38	88	54	1	1,550.0
NC-1967	67mm	81	40	90	54	1	1,620.0
OC-1913	1/2"	51	12	22	38	12	208.0
OC-1914	9/16"	51	12	25.5	38	12	219.0
OC-1916	5/8"	51	12	27.5	38	12	224.0
OC-1917	11/16"	51	12	29	38	12	230.0
OC-1919	3/4"	51	14	30	38	12	240.0
OC-1920	13/16"	53	16	32	38	12	250.0
OC-1922	7/8"	53	16	34	38	12	258.0
OC-1924	15/16"	53	16	36	38	12	265.0
OC-1925	1"	53	16	40	38	12	280.0
OC-1927	1-1/16"	53	16	40	38	12	290.0
OC-1929	1-1/8"	53	20	42	42	12	310.0
OC-1930	1-3/16"	53	20	44	44	12	360.0
OC-1931	1-1/4"	53	20	44	44	12	365.0
OC-1933	1-5/16"	57	23	47	44	12	400.0
OC-1935	1-3/8"	57	23	50	44	6	450.0
OC-1936	1-7/16"	57	23	51	44	6	453.0
OC-1938	1-1/2"	57	23	53	44	6	458.0
OC-1940	1-9/16"	63	27	56	44	6	570.0
OC-1941	1-5/8"	63	27	58	44	6	650.0
OC-1943	1-11/16"	63	27	63.5	44	6	720.0
OC-1944	1-3/4"	63	27	65	44	6	760.0



WARNING!


Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

▶ 3/4" Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
OC-1946	1-13/16"	69	32	67	44	6	880.0
OC-1948	1-7/8"	69	32	68	44	6	885.0
OC-1949	1-15/16"	71	34	71	44	6	940.0
OC-1951	2"	73	35	73	54	6	1,100.0
OC-1952	2-1/16"	73	35	74	54	6	1,220.0
OC-1954	2-1/8"	73	35	77	54	1	1,227.0
OC-1956	2-3/16"	75	35	77	54	1	1,260.0
OC-1957	2-1/4"	75	35	80	54	1	1,380.0
OC-1959	2-5/16"	76	35	82	54	1	1,400.0
OC-1960	2-3/8"	76	35	84	54	1	1,460.0
OC-1961	2-7/16"	76	35	85	54	1	1,510.0
OC-1963	2-1/2"	76	35	86	54	1	1,540.0

▶ 3/4" Dr Bi-Hexagon Regular Sockets



Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TNC-1913	13mm	50	12	23	38	12	270.0
TNC-1914	14mm	50	12	24	38	12	285.0
TNC-1915	15mm	50	12	26	38	12	294.0
TNC-1916	16mm	50	12	27	38	12	325.0
TNC-1917	17mm	50	12	28	38	12	340.0
TNC-1918	18mm	50	12	29	38	12	343.0
TNC-1919	19mm	50	14	30	38	12	350.0
TNC-1920	20mm	52	16	31	38	12	357.0
TNC-1921	21mm	52	16	32	38	12	360.0
TNC-1922	22mm	52	16	34	38	12	370.0
TNC-1923	23mm	52	16	35	38	12	375.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

▶ 3/4" Dr Bi-Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TNC-1924	24mm	53	18	36	38	12	378.0
TNC-1925	25mm	53	18	38	38	12	380.0
TNC-1926	26mm	53	23	40	38	12	383.0
TNC-1927	27mm	53	23	40	38	12	385.0
TNC-1928	28mm	53	23	43	38	12	390.0
TNC-1929	29mm	53	23	43	38	12	400.0
TNC-1930	30mm	53	23	43	38	12	430.0
TNC-1931	31mm	56	24	44	38	12	447.0
TNC-1932	32mm	56	24	45	38	12	460.0
TNC-1933	33mm	56	24	46	38	12	490.0
TNC-1934	34mm	56	24	49	38	6	498.0
TNC-1935	35mm	56	24	51	38	6	505.0
TNC-1936	36mm	56	24	51	38	6	512.0
TNC-1937	37mm	56	24	52	38	6	525.0
TNC-1938	38mm	56	24	53	38	6	560.0
TNC-1939	39mm	62	28	55	38	6	592.0
TNC-1940	40mm	62	28	57	38	6	598.0
TNC-1941	41mm	62	28	58	38	6	610.0
TNC-1942	42mm	62	28	61	38	6	640.0
TNC-1943	43mm	62	28	63	38	6	670.0
TNC-1944	44mm	63	28	64	38	6	700.0
TNC-1945	45mm	63	28	66	38	6	730.0
TNC-1946	46mm	68	33	67	38	6	770.0
TNC-1947	47mm	68	33	68	38	6	835.0
TNC-1948	48mm	68	33	69	38	1	900.0
TNC-1950	50mm	70	34	71	38	1	965.0
TNC-1951	51mm	72	34	72	54	1	1,030.0
TNC-1952	52mm	72	34	74	54	1	1,095.0
TNC-1953	53mm	72	34	75	54	1	1,160.0
TNC-1954	54mm	72	34	77	54	1	1,225.0
TNC-1955	55mm	74	35	77	54	1	1,290.0
TNC-1956	56mm	74	35	77	54	1	1,325.0
TNC-1957	57mm	74	35	80	54	1	1,360.0
TNC-1958	58mm	75	35	81	54	1	1,400.0
TNC-1960	60mm	75	35	84	54	1	1,440.0
TNC-1963	63mm	78	37	86	54	1	1,515.0
TNC-1965	65mm	78	38	88	54	1	1,558.0
TNC-1967	67mm	80	40	90	54	1	1,635.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

▶ 3/4" Dr Bi-Hexagon Regular Sockets


Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TOC-1912	1/2"	50	9	24.5	44	12	313.0
TOC-1914	9/16"	50	11	25.5	44	12	324.0
TOC-1916	5/8"	50	11	28	44	12	329.0
TOC-1917	11/16"	50	12	31.5	44	12	335.0
TOC-1919	3/4"	50	13	33	44	12	345.0
TOC-1920	13/16"	50	15	35	44	12	355.0
TOC-1922	7/8"	50	15	37	44	12	363.0
TOC-1924	15/16"	50	18	39	44	12	370.0
TOC-1925	1"	50	18	41	44	12	385.0
TOC-1927	1-1/16"	54	19	43	44	12	395.0
TOC-1929	1-1/8"	54	21	44.5	44	12	415.0
TOC-1930	1-3/16"	54	21	47	44	12	465.0
TOC-1931	1-1/4"	56	22	49	44	12	470.0
TOC-1933	1-5/16"	56	22	51	44	12	505.0
TOC-1935	1-3/8"	56	22	53	44	6	555.0
TOC-1936	1-7/16"	56	25	55	44	6	558.0
TOC-1938	1-1/2"	58	25	57	44	6	563.0
TOC-1940	1-9/16"	58	25	59	44	6	675.0
TOC-1941	1-5/8"	58	27	61	44	6	755.0
TOC-1943	1-11/16"	63	27	63.5	44	6	825.0
TOC-1944	1-3/4"	63	27	64.5	44	6	865.0
TOC-1946	1-13/16"	63	30	67	44	6	985.0
TOC-1948	1-7/8"	68	30	68	44	1	990.0
TOC-1949	1-15/16"	70	30	70	44	1	1,045.0
TOC-1951	2"	72	32	72	54	1	1,205.0
TOC-1952	2-1/16"	72	32	74	54	1	1,325.0
TOC-1954	2-1/8"	72	32	77	54	1	1,332.0
TOC-1956	2-3/16"	74	35	78.5	54	1	1,365.0
TOC-1957	2-1/4"	74	35	80	54	1	1,485.0
TOC-1959	2-5/16"	75	37	82	54	1	1,505.0
TOC-1960	2-3/8"	75	37	84	54	1	1,565.0
TOC-1961	2-7/16"	75	37	86	54	1	1,615.0
TOC-1963	2-1/2"	75	37	88	54	1	1,645.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS



▶ 3/4" Dr Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QC-1913	13mm	95	20	25	44	6	522.0
QC-1914	14mm	95	20	25	44	6	530.0
QC-1915	15mm	95	20	26	44	6	538.0
QC-1916	16mm	95	20	27	44	6	546.0
QC-1917	17mm	95	20	31	44	6	554.0
QC-1918	18mm	95	20	32	44	6	562.0
QC-1919	19mm	95	23	33	44	6	570.0
QC-1920	20mm	95	23	34	44	6	580.0
QC-1921	21mm	95	23	35	44	6	590.0
QC-1922	22mm	95	23	37	44	6	620.0
QC-1923	23mm	95	23	38	44	6	640.0
QC-1924	24mm	95	23	39	44	6	646.0
QC-1925	25mm	95	23	40	44	6	666.0
QC-1926	26mm	95	23	41	44	6	686.0
QC-1927	27mm	95	29	43	44	6	710.0
QC-1928	28mm	96	29	44	44	6	720.0
QC-1929	29mm	96	29	45	44	6	730.0
QC-1930	30mm	96	29	47	44	6	780.0
QC-1931	31mm	96	29	48	44	6	840.0
QC-1932	32mm	96	29	49	44	6	860.0
QC-1933	33mm	96	29	51	44	6	910.0
QC-1934	34mm	96	37	52	44	6	916.0
QC-1935	35mm	96	37	53	44	6	925.0
QC-1936	36mm	96	37	54	44	6	930.0
QC-1937	37mm	96	37	56	44	6	970.0
QC-1938	38mm	96	37	57	44	6	1,000.0
QC-1939	39mm	96	37	58	44	6	1,030.0
QC-1940	40mm	96	37	58	44	6	1,050.0
QC-1941	41mm	96	37	60	44	6	1,080.0
QC-1942	42mm	96	37	62	44	6	1,130.0
QC-1943	43mm	96	37	63	44	6	1,180.0
QC-1944	44mm	96	37	65	44	6	1,230.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

▶ 3/4" Dr Hexagon Deep Sockets


Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QC-1946	46mm	96	37	67	44	1	1,280.0
QC-1947	47mm	96	37	68	44	1	1,335.0
QC-1948	48mm	96	37	69	44	1	1,390.0
QC-1949	49mm	96	37	70	44	1	1,445.0
QC-1950	50mm	96	37	71	54	1	1,500.0
QC-1952	52mm	96	37	74	54	1	1,610.0
QC-1955	55mm	100	37	77	54	1	1,880.0
QC-1960	60mm	105	37	84	54	1	2,060.0
QC-1965	65mm	105	37	88	54	1	2,180.0
RC-1913	1/2"	85	20	22	38	6	388.0
RC-1914	9/16"	85	20	25.5	38	6	390.0
RC-1916	5/8"	85	20	27.5	38	6	398.0
RC-1917	11/16"	85	20	29	38	6	405.0
RC-1919	3/4"	85	23	30	38	6	410.0
RC-1920	13/16"	85	23	32	38	6	415.0
RC-1922	7/8"	85	23	34	38	6	420.0
RC-1924	15/16"	85	23	36	38	6	430.0
RC-1925	1"	85	23	40	38	6	490.0
RC-1927	1-1/16"	85	23	40	38	6	500.0
RC-1929	1-1/8"	85	30	42	42	6	530.0
RC-1930	1-3/16"	85	30	44	44	6	590.0
RC-1931	1-1/4"	85	30	49	44	6	750.0
RC-1933	1-5/16"	85	35	50	44	6	760.0
RC-1935	1-3/8"	85	35	50	44	6	770.0
RC-1936	1-7/16"	85	37	51	44	6	780.0
RC-1938	1-1/2"	95	37	57	44	6	1,010.0
RC-1940	1-9/16"	95	39	58	44	6	1,020.0
RC-1941	1-5/8"	95	39	60	44	6	1,070.0
RC-1943	1-11/16"	95	39	63	44	6	1,170.0
RC-1944	1-3/4"	95	39	65	44	6	1,220.0
RC-1946	1-13/16"	95	39	67	44	1	1,270.0
RC-1948	1-7/8"	95	39	68	44	1	1,280.0
RC-1949	1-15/16"	95	39	70	44	1	1,340.0
RC-1951	2"	95	39	71	54	1	1,500.0
RC-1952	2-1/16"	95	39	74	54	1	1,690.0
RC-1954	2-1/8"	95	39	77	54	1	1,798.0
RC-1956	2-3/16"	100	39	77	54	1	1,904.0
RC-1957	2-1/4"	100	39	80	54	1	2,012.0
RC-1959	2-5/16"	100	39	82	54	1	2,136.0
RC-1960	2-3/8"	105	39	84	54	1	2,261.0
RC-1961	2-7/16"	105	39	85	54	1	2,383.0
RC-1963	2-1/2"	105	39	86	54	1	2,517.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS



► 3/4" Dr Bi-Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QC1-1913	13mm	95	13	25	44	6	519.0
QC1-1914	14mm	95	14	25	44	6	527.0
QC1-1915	15mm	95	15	26	44	6	535.0
QC1-1916	16mm	95	16	27	44	6	543.0
QC1-1917	17mm	95	17	31	44	6	551.0
QC1-1918	18mm	95	18	32	44	6	559.0
QC1-1919	19mm	95	19	33	44	6	567.0
QC1-1920	20mm	95	20	34	44	6	577.0
QC1-1921	21mm	95	21	35	44	6	587.0
QC1-1922	22mm	95	22	37	44	6	617.0
QC1-1923	23mm	95	23	38	44	6	637.0
QC1-1924	24mm	95	24	39	44	6	643.0
QC1-1925	25mm	95	25	40	44	6	663.0
QC1-1926	26mm	95	26	41	44	6	683.0
QC1-1927	27mm	95	27	43	44	6	707.0
QC1-1928	28mm	96	28	44	44	6	717.0
QC1-1929	29mm	96	29	45	44	6	727.0
QC1-1930	30mm	96	30	47	44	6	777.0
QC1-1931	31mm	96	31	48	44	6	837.0
QC1-1932	32mm	96	32	49	44	6	857.0
QC1-1933	33mm	96	33	51	44	6	907.0
QC1-1934	34mm	96	34	52	44	6	913.0
QC1-1935	35mm	96	35	53	44	6	922.0
QC1-1936	36mm	96	36	54	44	6	927.0
QC1-1937	37mm	96	37	56	44	6	967.0
QC1-1938	38mm	96	38	57	44	6	997.0
QC1-1939	39mm	96	38	58	44	6	1,027.0
QC1-1940	40mm	96	38	58	44	6	1,047.0
QC1-1941	41mm	96	38	60	44	6	1,077.0
QC1-1942	42mm	96	38	62	44	6	1,127.0
QC1-1943	43mm	96	38	63	44	6	1,177.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

▶ 3/4" Dr Bi-Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QC1-1944	44mm	96	38	65	44	6	1,227.0
QC1-1946	46mm	100	38	67	44	1	1,277.0
QC1-1947	47mm	100	38	68	44	1	1,332.0
QC1-1948	48mm	100	38	69	44	1	1,387.0
QC1-1949	49mm	100	38	70	44	1	1,442.0
QC1-1950	50mm	100	38	71	54	1	1,497.0
QC1-1952	52mm	100	40	74	54	1	1,607.0
QC1-1955	55mm	105	40	77	54	1	1,877.0
QC1-1960	60mm	105	42	84	54	1	2,057.0
QC1-1965	65mm	105	66	90	54	1	2,177.0
RC1-1913	1/2"	95	13	24.5	44	6	385.0
RC1-1914	9/16"	95	14	25.5	44	6	387.0
RC1-1916	5/8"	95	16	27.5	44	6	395.0
RC1-1917	11/16"	95	17	31	44	6	402.0
RC1-1919	3/4"	95	19	33	44	6	407.0
RC1-1920	13/16"	95	22	35	44	6	412.0
RC1-1922	7/8"	95	22	37	44	6	417.0
RC1-1924	15/16"	95	24	39	44	6	427.0
RC1-1925	1"	95	25	40	44	6	487.0
RC1-1927	1-1/16"	95	27	43	44	6	497.0
RC1-1929	1-1/8"	95	29	44.5	44	6	527.0
RC1-1930	1-3/16"	95	30	47	44	6	587.0
RC1-1931	1-1/4"	95	32	49	44	6	747.0
RC1-1933	1-5/16"	95	34	50	44	6	757.0
RC1-1935	1-3/8"	95	35	53	44	6	767.0
RC1-1936	1-7/16"	95	37	55	44	6	777.0
RC1-1938	1-1/2"	95	38	57	44	6	1,007.0
RC1-1940	1-9/16"	95	38	58	44	6	1,017.0
RC1-1941	1-5/8"	95	38	60	44	6	1,067.0
RC1-1943	1-11/16"	95	38	63	44	6	1,167.0
RC1-1944	1-3/4"	95	38	65	44	6	1,217.0
RC1-1946	1-13/16"	100	38	67	44	1	1,267.0
RC1-1948	1-7/8"	100	38	68	44	1	1,277.0
RC1-1949	1-15/16"	100	38	70	44	1	1,337.0
RC1-1951	2"	100	40	71	54	1	1,497.0
RC1-1952	2-1/16"	100	40	74	54	1	1,687.0
RC1-1954	2-1/8"	100	40	77	54	1	1,795.0



WARNING!


Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

▶ 3/4" Dr Bi-Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
RC1-1956	2-3/16"	105	40	78	54	1	1,901.0
RC1-1957	2-1/4"	105	40	80	54	1	2,009.0
RC1-1959	2-5/16"	105	40	82	54	1	2,133.0
RC1-1960	2-3/8"	105	42	84	54	1	2,258.0
RC1-1961	2-7/16"	105	42	85	54	1	2,380.0
RC1-1963	2-1/2"	105	42	88	54	1	2,514.0

▶ 1" Dr Hexagon Regular Sockets



Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
ND-2517	17mm	59	17	34	51	6	480.0
ND-2518	18mm	59	17	34.5	51	6	485.0
ND-2519	19mm	59	17	35.5	51	6	500.0
ND-2520	20mm	59	17	36.5	51	6	505.0
ND-2521	21mm	59	17	37.5	51	6	510.0
ND-2522	22mm	59	17	39	51	6	514.0
ND-2523	23mm	59	17	40	51	6	520.0
ND-2524	24mm	59	17	40	51	6	526.0
ND-2525	25mm	59	17	41	51	6	532.0
ND-2526	26mm	59	17	43	52	6	540.0
ND-2527	27mm	59	17	44	52	6	547.0
ND-2528	28mm	59	17	45	52	6	552.0
ND-2529	29mm	61	19	46	52	6	560.0
ND-2530	30mm	61	21	48	52	6	565.0
ND-2531	31mm	61	21	49	52	6	570.0
ND-2532	32mm	61	21	51	52	6	576.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

► 1" Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
ND-2533	33mm	63	21	53	53	6	630.0
ND-2534	34mm	63	21	55	53	6	640.0
ND-2535	35mm	63	21	55	53	6	645.0
ND-2536	36mm	63	26	56	53	6	660.0
ND-2537	37mm	63	26	57	53	6	670.0
ND-2538	38mm	63	26	58	53	6	680.0
ND-2539	39mm	63	26	59	53	6	690.0
ND-2540	40mm	63	26	61	53	6	700.0
ND-2541	41mm	63	26	62	53	6	740.0
ND-2542	42mm	64	27	63	53	6	760.0
ND-2543	43mm	64	27	66	53	6	830.0
ND-2544	44mm	64	27	66	53	6	840.0
ND-2545	45mm	65	27	67	58	6	890.0
ND-2546	46mm	65	27	68	58	6	950.0
ND-2547	47mm	66	28	69	58	6	1,000.0
ND-2548	48mm	68	30	70	58	6	1,010.0
ND-2550	50mm	71	30	72	58	1	1,130.0
ND-2551	51mm	71	30.5	75	58	1	1,150.0
ND-2552	52mm	71	31	76	58	1	1,180.0
ND-2553	53mm	71	31	76	58	1	1,190.0
ND-2554	54mm	71	31	79	58	1	1,240.0
ND-2555	55mm	73	32	80	62	1	1,370.0
ND-2556	56mm	73	34	81	62	1	1,400.0
ND-2557	57mm	76	35	84	62	1	1,580.0
ND-2558	58mm	76	35	85	62	1	1,600.0
ND-2560	60mm	79	35	87	62	1	1,700.0
ND-2563	63mm	80	36	90	62	1	1,870.0
ND-2565	65mm	80	36	92	62	1	1,910.0
ND-2567	67mm	83	38	95	62	1	2,040.0
ND-2570	70mm	85	40	98	62	1	2,730.0
ND-2571	71mm	87	40	100	62	1	3,100.0
ND-2575	75mm	99	52	104	86	1	3,640.0
ND-2580	80mm	101	52	109	86	1	4,010.0
ND-2585	85mm	101	52	115	86	1	4,460.0
ND-2590	90mm	105	55	125	86	1	4,870.0
ND-2595	95mm	105	55	130	86	1	5,940.0
ND-25100	100mm	105	55	137	95	1	6,170.0
ND-25105	105mm	105	55	143	95	1	6,450.0
ND-25110	110mm	105	55	147	95	1	6,900.0
ND-25115	115mm	105	55	152	95	1	7,350.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

► 1" Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
OD-2516	5/8"	59	17	32	51	6	460.0
OD-2517	11/16"	59	17	34	51	6	470.0
OD-2519	3/4"	59	17	36	51	6	480.0
OD-2521	13/16"	59	17	38	51	6	490.0
OD-2522	7/8"	59	17	39	51	6	497.0
OD-2524	15/16"	59	17	40	51	6	502.0
OD-2525	1"	59	17	42	51	6	508.0
OD-2527	1-1/16"	59	17	44	51	6	513.0
OD-2529	1-1/8"	59	19	46	51	6	530.0
OD-2530	1-3/16"	60	21	48	51	6	550.0
OD-2532	1-1/4"	61	21	51	51	6	560.0
OD-2533	1-5/16"	63	21	53	52	6	620.0
OD-2535	1-3/8"	63	21	54	52	6	630.0
OD-2536	1-7/16"	63	26	56	52	6	640.0
OD-2538	1-1/2"	63	26	58	52	6	670.0
OD-2540	1-9/16"	63	26	60	52	6	690.0
OD-2541	1-5/8"	63	26	61.5	52	6	710.0
OD-2543	1-11/16"	65	27	65	52	6	820.0
OD-2544	1-3/4"	65	27	66	58	6	910.0
OD-2546	1-13/16"	65	27	68	58	6	940.0
OD-2548	1-7/8"	67	28	70	58	6	1,000.0
OD-2549	1-15/16"	69	28	72	58	6	1,040.0
OD-2551	2"	71	31	74	58	6	1,150.0
OD-2552	2-1/16"	71	31	75	58	6	1,180.0
OD-2554	2-1/8"	71	31	78	58	1	1,220.0
OD-2556	2-3/16"	73	32	80	62	1	1,420.0
OD-2557	2-1/4"	76	34	84	62	1	1,570.0
OD-2559	2-5/16"	76	34	86	62	1	1,610.0
OD-2560	2-3/8"	79	35	87	62	1	1,690.0
OD-2562	2-7/16"	79	35	89	62	1	1,780.0
OD-2563	2-1/2"	81	36	91	62	1	1,830.0
OD-2565	2-9/16"	81	36	93	62	1	1,920.0
OD-2567	2-5/8"	83	38	95	62	1	2,020.0
OD-2568	2-11/16"	83	38	97	62	1	2,060.0
OD-2570	2-3/4"	85	40	98	62	1	2,750.0
OD-2572	2-13/16"	87	40	100	62	1	2,800.0
OD-2573	2-7/8"	87	41	102	62	1	3,600.0
OD-2575	2-15/16"	96	48	104	86	1	3,650.0
OD-2576	3"	99	52	106	86	1	3,740.0
OD-2579	3-1/8"	101	52	109	86	1	3,980.0
OD-2584	3-1/4"	101	52	113	86	1	4,020.0

**WARNING!**


Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

► 1"Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
OD-2585	3-3/8"	101	52	115	86	1	4,430.0
OD-2588	3-1/2"	105	52	125	86	1	4,920.0
OD-2591	3-5/8"	105	52	127	86	1	5,260.0
OD-2594	3-3/4"	105	52	130	86	1	5,550.0
OD-2597	3-7/8"	105	52	136	95	1	5,840.0
OD-25100	4"	105	52	140	95	1	6,130.0
OD-25103	4-1/8"	105	52	143	95	1	6,430.0
OD-25106	4-1/4"	105	52	146	95	1	6,750.0
OD-25113	4-1/2"	105	52	152	95	1	7,100.0

► 1"Dr Bi-Hexagon Regular Sockets



Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TND-2517	17mm	60	12	34	54	6	490.0
TND-2518	18mm	60	13	35	54	6	495.0
TND-2519	19mm	60	13	36	54	6	510.0
TND-2520	20mm	60	14	37	54	6	515.0
TND-2521	21mm	60	15	38	54	6	520.0
TND-2522	22mm	60	15	40	54	6	525.0
TND-2523	23mm	60	16	41	54	6	530.0
TND-2524	24mm	60	18	42	54	6	536.0
TND-2525	25mm	60	18	43	54	6	542.0
TND-2526	26mm	60	18	44.5	54	6	550.0
TND-2527	27mm	60	19	46	54	6	555.0
TND-2528	28mm	62	19	47	54	6	560.0
TND-2529	29mm	62	19	48	54	6	570.0
TND-2530	30mm	62	21	50	54	6	575.0
TND-2531	31mm	62	21	51	54	6	580.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

► 1" Dr Bi-Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TND-2532	32mm	62	22	52	54	6	590.0
TND-2533	33mm	62	22	53	54	6	640.0
TND-2534	34mm	62	22	55	54	6	650.0
TND-2535	35mm	65	22	56	54	6	655.0
TND-2536	36mm	67	25	57	54	6	670.0
TND-2537	37mm	67	25	59	54	6	690.0
TND-2538	38mm	67	25	60	54	6	700.0
TND-2539	39mm	70	25	61	54	6	710.0
TND-2540	40mm	70	25	62	54	6	720.0
TND-2541	41mm	70	27	63	54	6	760.0
TND-2542	42mm	74	27	65	54	6	780.0
TND-2543	43mm	74	27	66	54	6	850.0
TND-2544	44mm	74	27	67	54	6	860.0
TND-2545	45mm	74	27	68	54	6	910.0
TND-2546	46mm	76	30	70	58	6	970.0
TND-2547	47mm	76	32	71.5	58	6	1,020.0
TND-2548	48mm	76	32	72.5	58	6	1,030.0
TND-2550	50mm	80	35	75	62	1	1,150.0
TND-2551	51mm	80	35	76	62	1	1,170.0
TND-2552	52mm	84	35	77	62	1	1,200.0
TND-2553	53mm	84	35	78	62	1	1,210.0
TND-2554	54mm	84	35	80	62	1	1,260.0
TND-2555	55mm	84	35	81	62	1	1,400.0
TND-2556	56mm	84	40	82	62	1	1,430.0
TND-2557	57mm	84	40	84	62	1	1,610.0
TND-2558	58mm	87	40	85	62	1	1,630.0
TND-2560	60mm	87	42	87	62	1	1,730.0
TND-2562	62mm	87	42	89	62	1	1,900.0
TND-2563	63mm	87	42	90	62	1	1,940.0
TND-2565	65mm	90	42	93	62	1	2,070.0
TND-2567	67mm	92	42	96	62	1	2,760.0
TND-2570	70mm	96	42	100	62	1	3,130.0
TND-2575	75mm	98	45	106	86	1	3,670.0
TND-2580	80mm	100	48	112	86	1	4,040.0
TND-2585	85mm	105	52	118	86	1	4,490.0
TND-2590	90mm	105	52	125	86	1	4,900.0
TND-2595	95mm	115	52	131	86	1	5,970.0
TND-25100	100mm	115	58	137	86	1	6,200.0
TND-25105	105mm	115	58	143	95	1	6,480.0
TND-25110	110mm	115	60	149	95	1	6,930.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

► 1" Dr Bi-Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TND-25115	115mm	115	62	155	95	1	7,380.0
TOD-2516	5/8"	60	11	32	54	6	470.0
TOD-2517	11/16"	60	12	34	54	6	480.0
TOD-2519	3/4"	60	13	36	54	6	490.0
TOD-2521	13/16"	60	15	38	54	6	500.0
TOD-2522	7/8"	60	15	39	54	6	507.0
TOD-2524	15/16"	60	18	42	54	6	512.0
TOD-2525	1"	60	18	44	54	6	515.0
TOD-2527	1-1/16"	60	19	46	54	6	525.0
TOD-2529	1-1/8"	62	19	48	54	6	540.0
TOD-2530	1-3/16"	62	21	50	54	6	560.0
TOD-2532	1-1/4"	62	22	52	54	6	570.0
TOD-2533	1-5/16"	62	22	54	54	6	630.0
TOD-2535	1-3/8"	65	22	56	54	6	640.0
TOD-2536	1-7/16"	67	25	58	54	6	650.0
TOD-2538	1-1/2"	67	25	60	54	6	680.0
TOD-2540	1-9/16"	70	25	62	54	6	700.0
TOD-2541	1-5/8"	70	27	63	54	6	720.0
TOD-2543	1-11/16"	74	27	66	54	6	830.0
TOD-2544	1-3/4"	74	27	67	54	6	920.0
TOD-2546	1-13/16"	76	30	70	58	6	960.0
TOD-2548	1-7/8"	76	32	72	58	6	1,020.0
TOD-2549	1-15/16"	80	32	74	58	6	1,060.0
TOD-2551	2"	80	35	76	62	1	1,170.0
TOD-2552	2-1/16"	84	35	77	62	1	1,200.0
TOD-2554	2-1/8"	84	35	80	62	1	1,240.0
TOD-2556	2-3/16"	84	35	81	62	1	1,440.0
TOD-2557	2-1/4"	84	40	84	62	1	1,590.0
TOD-2559	2-5/16"	87	40	86	62	1	1,630.0
TOD-2560	2-3/8"	87	42	87	62	1	1,710.0
TOD-2562	2-7/16"	87	42	89	62	1	1,800.0
TOD-2563	2-1/2"	87	42	91	62	1	1,850.0
TOD-2565	2-9/16"	90	42	93	62	1	1,940.0
TOD-2567	2-5/8"	92	42	95	62	1	2,040.0
TOD-2568	2-11/16"	92	42	97	62	1	2,080.0
TOD-2570	2-3/4"	96	42	100	62	1	2,770.0
TOD-2572	2-13/16"	96	45	102	62	1	2,820.0
TOD-2573	2-7/8"	96	45	104	86	1	3,620.0
TOD-2575	2-15/16"	98	45	105	86	1	3,670.0



WARNING!


Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

► 1"Dr Bi-Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TOD-2576	3"	100	48	107	86	1	3,760.0
TOD-2579	3-1/8"	100	48	111	86	1	4,010.0
TOD-2584	3-1/4"	100	48	115	86	1	4,050.0
TOD-2585	3-3/8"	105	52	119	86	1	4,460.0
TOD-2588	3-1/2"	105	52	124	86	1	4,950.0
TOD-2592	3-5/8"	105	52	127	86	1	5,290.0
TOD-2595	3-3/4"	115	52	131	86	1	5,580.0
TOD-2598	3-7/8"	115	58	135	86	1	5,870.0
TOD-25101	4"	115	58	139	86	1	6,160.0
TOD-25104	4-1/8"	115	58	143	95	1	6,460.0
TOD-25107	4-1/4"	115	60	147	95	1	6,780.0
TOD-25114	4-1/2"	115	62	154	95	1	7,130.0

► 1"Dr Hexagon Deep Sockets



Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QD-2517	17mm	100	21	34	54	6	816.0
QD-2518	18mm	100	21	34.5	54	6	825.0
QD-2519	19mm	100	21	35.5	54	6	850.0
QD-2520	20mm	100	21	36.5	54	6	860.0
QD-2521	21mm	100	21	37.5	54	6	870.0
QD-2522	22mm	100	21	40	54	6	875.0
QD-2523	23mm	100	21	41	54	6	884.0
QD-2524	24mm	100	21	42	54	6	910.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

► 1"Dr Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QD-2525	25mm	100	21	43	54	6	950.0
QD-2526	26mm	100	21	44	54	6	980.0
QD-2527	27mm	100	23	46	54	6	1,040.0
QD-2528	28mm	100	23	47	54	6	1,050.0
QD-2529	29mm	100	23	48	54	6	1,060.0
QD-2530	30mm	100	29	50	54	6	1,070.0
QD-2531	31mm	100	29	51	54	6	1,080.0
QD-2532	32mm	100	33	52	54	6	1,090.0
QD-2533	33mm	100	34	53	54	6	1,110.0
QD-2534	34mm	100	34	55	54	6	1,150.0
QD-2535	35mm	100	34	55	54	6	1,190.0
QD-2536	36mm	100	36	56	54	6	1,200.0
QD-2537	37mm	100	36	59	54	6	1,230.0
QD-2538	38mm	100	36	59	54	6	1,280.0
QD-2539	39mm	100	36	60	54	6	1,300.0
QD-2540	40mm	100	36	62	54	6	1,330.0
QD-2541	41mm	100	36	63	54	6	1,360.0
QD-2542	42mm	100	36	64	54	6	1,400.0
QD-2543	43mm	100	36	65	54	6	1,460.0
QD-2544	44mm	100	36	67	54	6	1,520.0
QD-2545	45mm	100	36	68	54	1	1,560.0
QD-2546	46mm	100	38	69	54	1	1,600.0
QD-2547	47mm	100	38	72	54	1	1,650.0
QD-2548	48mm	100	38	73	54	1	1,720.0
QD-2550	50mm	100	38	74	54	1	1,790.0
QD-2551	51mm	100	41	75	54	1	1,830.0
QD-2552	52mm	100	41	77	54	1	1,880.0
QD-2553	53mm	100	41	78	54	1	1,920.0
QD-2554	54mm	100	41	79	54	1	1,960.0
QD-2555	55mm	100	41	80	54	1	2,010.0
QD-2556	56mm	105	45	81	54	1	2,160.0
QD-2557	57mm	105	45	82	54	1	2,320.0
QD-2558	58mm	105	45	84	54	1	2,500.0
QD-2560	60mm	120	45	86	54	1	2,710.0
QD-2562	62mm	120	45	88	54	1	2,900.0
QD-2563	63mm	120	45	90	54	1	3,080.0
QD-2565	65mm	125	45	92	54	1	3,220.0
QD-2567	67mm	125	45	95	54	1	3,450.0
QD-2570	70mm	135	45	99	54	1	3,640.0
QD-2575	75mm	135	45	104	86	1	5,080.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

► 1" Dr Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QD-2580	80mm	135	48	109	86	1	5,510.0
QD-2585	85mm	140	53	115	86	1	6,320.0
QD-2590	90mm	140	53	125	86	1	6,830.0
QD-2595	95mm	140	53	130	86	1	7,060.0
QD-25100	100mm	140	58	137	95	1	8,250.0
QD-25105	105mm	155	58	143	95	1	8,600.0
QD-25110	110mm	155	58	147	95	1	9,200.0
QD-25115	115mm	155	58	152	95	1	10,500.0
RD-2516	5/8"	90	21	32	51	6	715.0
RD-2517	11/16"	90	21	34	51	6	730.0
RD-2519	3/4"	90	21	36	51	6	745.0
RD-2520	13/16"	90	21	38	51	6	760.0
RD-2522	7/8"	90	21	39	51	6	770.0
RD-2524	15/16"	90	21	40	51	6	780.0
RD-2525	1"	90	21	42	51	6	790.0
RD-2527	1-1/16"	90	23	44	51	6	795.0
RD-2529	1-1/8"	90	40	46	51	6	830.0
RD-2530	1-3/16"	90	40	48	51	6	840.0
RD-2532	1-1/4"	90	40	51	51	6	850.0
RD-2533	1-5/16"	90	40	53	52	6	900.0
RD-2535	1-3/8"	90	40	54	52	6	940.0
RD-2536	1-7/16"	90	40	56	52	6	960.0
RD-2538	1-1/2"	92	40	58	52	6	1,000.0
RD-2540	1-9/16"	92	40	60	52	6	1,040.0
RD-2541	1-5/8"	92	40	61.5	52	6	1,120.0
RD-2543	1-11/16"	92	40	65	52	6	1,250.0
RD-2544	1-3/4"	92	40	66	58	6	1,300.0
RD-2546	1-13/16"	92	40	68	58	1	1,400.0
RD-2548	1-7/8"	92	40	70	58	1	1,410.0
RD-2549	1-15/16"	92	40	72	58	1	1,460.0
RD-2551	2"	95	40	74	58	1	1,640.0
RD-2552	2-1/16"	95	40	75	58	1	1,650.0
RD-2554	2-1/8"	100	40	78	58	1	1,740.0
RD-2556	2-3/16"	100	43	80	62	1	2,020.0
RD-2557	2-1/4"	100	43	84	62	1	2,230.0
RD-2559	2-5/16"	105	43	86	62	1	2,300.0
RD-2560	2-3/8"	105	43	87	62	1	2,460.0
RD-2562	2-7/16"	110	43	89	62	1	2,760.0
RD-2563	2-1/2"	110	43	91	62	1	2,860.0
RD-2565	2-9/16"	120	43	93	62	1	3,390.0
RD-2567	2-5/8"	120	43	95	62	1	3,450.0
RD-2568	2-11/16"	124	43	97	62	1	3,620.0
RD-2570	2-3/4"	124	43	98	62	1	3,790.0



WARNING!


Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

► 1"Dr Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
RD-2572	2-13/16"	128	46	100	62	1	3,900.0
RD-2573	2-7/8"	128	46	102	62	1	4,660.0
RD-2575	2-15/16"	135	46	104	86	1	4,970.0
RD-2576	3"	135	48	106	86	1	5,140.0
RD-2579	3-1/8"	135	48	109	86	1	5,410.0
RD-2584	3-1/4"	135	48	113	86	1	5,680.0
RD-2585	3-3/8"	140	53	115	86	1	6,240.0
RD-2588	3-1/2"	140	53	125	86	1	6,830.0
RD-2591	3-5/8"	140	53	127	86	1	7,140.0
RD-2594	3-3/4"	140	53	130	86	1	7,360.0
RD-2597	3-7/8"	140	56	136	95	1	7,550.0
RD-25100	4"	155	56	140	95	1	8,670.0
RD-25103	4-1/8"	155	60	143	95	1	9,600.0
RD-25106	4-1/4"	155	60	146	95	1	10,750.0
RD-25113	4-1/2"	155	60	152	95	1	11,800.0

► 1"Dr Bi-Hexagon Deep Sockets



Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QD1-2517	17mm	100	17	34	54	6	826.0
QD1-2518	18mm	100	18	35	54	6	835.0
QD1-2519	19mm	100	19	36	54	6	860.0
QD1-2520	20mm	100	20	37	54	6	870.0
QD1-2521	21mm	100	21	38	54	6	880.0
QD1-2522	22mm	100	22	40	54	6	885.0
QD1-2523	23mm	100	23	41	54	6	894.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

► 1" Dr Bi-Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QD1-2524	24mm	100	24	42	54	6	920.0
QD1-2525	25mm	100	25	43	54	6	960.0
QD1-2526	26mm	100	26	44.5	54	6	990.0
QD1-2527	27mm	100	27	46	54	6	1,050.0
QD1-2528	28mm	100	28	47	54	6	1,060.0
QD1-2529	29mm	100	29	48	54	6	1,070.0
QD1-2530	30mm	100	30	50	54	6	1,080.0
QD1-2531	31mm	100	31	51	54	6	1,090.0
QD1-2532	32mm	100	32	52	54	6	1,100.0
QD1-2533	33mm	100	33	53	54	6	1,120.0
QD1-2534	34mm	100	34	55	54	6	1,160.0
QD1-2535	35mm	100	35	56	54	6	1,200.0
QD1-2536	36mm	100	36	57	54	6	1,210.0
QD1-2537	37mm	100	37	59	54	6	1,240.0
QD1-2538	38mm	100	38	60	54	6	1,290.0
QD1-2539	39mm	100	38	61	54	6	1,310.0
QD1-2540	40mm	100	38	62	54	6	1,340.0
QD1-2541	41mm	100	38	63	54	6	1,370.0
QD1-2542	42mm	100	38	65	54	6	1,410.0
QD1-2543	43mm	100	38	66	54	6	1,470.0
QD1-2544	44mm	100	38	67	54	6	1,530.0
QD1-2545	45mm	100	38	68	54	1	1,570.0
QD1-2546	46mm	100	38	70	58	1	1,610.0
QD1-2547	47mm	100	38	71.5	58	1	1,660.0
QD1-2548	48mm	100	38	72.5	58	1	1,730.0
QD1-2550	50mm	100	38	75	62	1	1,800.0
QD1-2551	51mm	100	40	76	62	1	1,840.0
QD1-2552	52mm	100	40	77	62	1	1,890.0
QD1-2553	53mm	100	40	78	62	1	1,930.0
QD1-2554	54mm	100	40	80	62	1	1,970.0
QD1-2555	55mm	100	40	81	62	1	2,020.0
QD1-2556	56mm	105	40	82	62	1	2,170.0
QD1-2557	57mm	105	40	84	62	1	2,330.0
QD1-2558	58mm	105	40	85	62	1	2,510.0
QD1-2560	60mm	120	42	87	62	1	2,720.0
QD1-2562	62mm	120	42	89	62	1	2,910.0
QD1-2563	63mm	120	42	90	62	1	3,090.0
QD1-2565	65mm	125	42	93	62	1	3,230.0
QD1-2567	67mm	125	42	96	62	1	3,460.0
QD1-2570	70mm	125	42	100	62	1	3,650.0
QD1-2575	75mm	135	45	106	86	1	5,090.0
QD1-2580	80mm	135	48	112	86	1	5,520.0
QD1-2585	85mm	140	52	118	86	1	6,330.0

**WARNING!**

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

► 1" Dr Bi-Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QD1-2590	90mm	140	52	125	86	1	6,840.0
QD1-2595	95mm	140	52	131	86	1	7,070.0
QD1-25100	100mm	140	58	137	86	1	8,260.0
QD1-25105	105mm	155	58	143	95	1	8,610.0
QD1-25110	110mm	155	60	149	95	1	9,210.0
QD1-25115	115mm	155	62	155	95	1	10,510.0
RD1-2516	5/8"	100	16	32	54	6	725.0
RD1-2517	11/16"	100	17	34	54	6	740.0
RD1-2519	3/4"	100	19	36	54	6	755.0
RD1-2521	13/16"	100	22	38	54	6	770.0
RD1-2522	7/8"	100	22	39	54	6	780.0
RD1-2524	15/16"	100	24	42	54	6	790.0
RD1-2525	1"	100	25	44	54	6	800.0
RD1-2527	1-1/16"	100	27	46	54	6	805.0
RD1-2529	1-1/8"	100	29	48	54	6	840.0
RD1-2530	1-3/16"	100	30	50	54	6	850.0
RD1-2532	1-1/4"	100	32	52	54	6	860.0
RD1-2533	1-5/16"	100	34	54	54	6	910.0
RD1-2535	1-3/8"	100	35	56	54	6	950.0
RD1-2536	1-7/16"	100	37	58	54	6	970.0
RD1-2538	1-1/2"	100	38	60	54	6	1,010.0
RD1-2540	1-9/16"	100	38	62	54	6	1,050.0
RD1-2541	1-5/8"	100	38	63.5	54	6	1,130.0
RD1-2543	1-11/16"	100	38	66	54	6	1,260.0
RD1-2544	1-3/4"	100	38	67.5	54	6	1,310.0
RD1-2546	1-13/16"	100	38	70	62	1	1,410.0
RD1-2548	1-7/8"	100	38	72	62	1	1,420.0
RD1-2549	1-15/16"	100	38	74	62	1	1,470.0
RD1-2551	2"	100	40	76	62	1	1,650.0
RD1-2552	2-1/16"	100	40	77.5	62	1	1,660.0
RD1-2554	2-1/8"	100	40	80	62	1	1,750.0
RD1-2556	2-3/16"	100	40	81.5	62	1	2,030.0
RD1-2557	2-1/4"	105	40	84	62	1	2,240.0
RD1-2559	2-5/16"	105	40	86	62	1	2,310.0
RD1-2560	2-3/8"	120	42	87	62	1	2,470.0
RD1-2562	2-7/16"	120	42	89	62	1	2,770.0
RD1-2563	2-1/2"	120	42	91	62	1	2,870.0
RD1-2565	2-9/16"	125	42	93	62	1	3,400.0
RD1-2567	2-5/8"	125	42	95	62	1	3,460.0
RD1-2568	2-11/16"	125	42	97	62	1	3,630.0
RD1-2570	2-3/4"	125	42	100	62	1	3,800.0
RD1-2572	2-13/16"	125	45	102	62	1	3,910.0



WARNING!


Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

► 1" Bi-Dr Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
RD1-2573	2-7/8"	125	45	104	86	1	4,670.0
RD1-2575	2-15/16"	135	45	105	86	1	4,980.0
RD1-2576	3"	135	48	107	86	1	5,150.0
RD1-2579	3-1/8"	135	48	111	86	1	5,420.0
RD1-2584	3-1/4"	135	48	115	86	1	5,690.0
RD1-2585	3-3/8"	140	52	119	86	1	6,250.0
RD1-2588	3-1/2"	140	52	124	86	1	6,840.0
RD1-2591	3-5/8"	140	52	127	86	1	7,150.0
RD1-2594	3-3/4"	140	52	131	86	1	7,370.0
RD1-2597	3-7/8"	140	58	135	86	1	7,560.0
RD1-25100	4"	155	58	139	86	1	8,660.0
RD1-25103	4-1/8"	155	58	143	95	1	9,610.0
RD1-25106	4-1/4"	155	60	147	95	1	10,760.0
RD1-25113	4-1/2"	155	62	154	95	1	11,810.0

► 1" Dr Hexagon Semi-Deep Sockets



Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
PD-2527	27mm	80	26	42	51	6	680.0
PD-2530	30mm	80	26	45	51	6	690.0
PD-2532	32mm	80	30	48	52	6	700.0
PD-2533	33mm	80	30	52	52	6	790.0
PD-2535	35mm	80	30	52	52	6	820.0
PD-2536	36mm	80	44	54	52	6	840.0
PD-2538	38mm	80	44	56	52	6	860.0
PD-2541	41mm	80	25	58	52	6	870.0




WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches



IMPACT SOCKETS



► 1"Dr Double Square (8 Point) Impact Regular Sockets - MM


Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
DSM-2519	19mm	58	16	47	54	6	850.0
DSM-2524	24mm	58	16	52	54	6	918.0
DSM-2527	27mm	68	30	58	54	6	935.0
DSM-2530	30mm	70	32	61	54	6	950.0
DSM-2532	32mm	70	32	61	54	6	960.0
DSM-2535	35 mm	70	32	66	58	6	980.0
DSM-2538	38mm	70	32	73	58	6	1,000.0
DSM-2546	46mm	80	42	86	62	6	1,285.0
DS-2519	3/4"	58	16	47	54	6	855.0
DS-2520	13/16"	58	16	49	54	6	900.0
DS-2522	7/8"	58	16	51	54	6	905.0
DS-2524	15/16"	58	16	52	54	6	918.0
DS-2525	1"	58	16	54	54	6	925.0
DS-2527	1-1/16"	68	30	58	54	6	935.0
DS-2529	1-1/8"	68	30	58	54	6	945.0
DS-2530	1-3/16"	70	32	61	54	6	950.0
DS-2531	1-1/4"	70	32	61	54	6	960.0
DS-2533	1-5/16"	70	32	65	54	6	965.0
DS-2535	1-3/8"	70	32	67	58	6	980.0
DS-2536	1-7/16"	70	32	68	58	6	988.0
DS-2538	1-1/2"	70	32	73	58	6	1,000.0
DS-2541	1-5/8"	76	38	78	58	6	1,025.0
DS-2543	1-11/16"	78	40	84	62	6	1,075.0
DS-2544	1-3/4"	78	40	84	62	6	1,125.0
DS-2546	1-13/16"	80	42	86	62	6	1,149.0
DS-2548	1-7/8"	85	47	88	62	6	1,175.0
DS-2551	2"	85	47	92	62	6	1,205.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches


IMPACT SOCKETS



► 1"Dr Square Budd Wheel Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
SDD-2517	17mm	76	16	40	52	6	640.0
SDD-2519	19mm	76	16	43	52	6	672.0
SDD-2520	20mm	76	16	44	52	6	710.0
SDD-2521	21mm	76	16	44	52	6	810.0

► 1"Dr Square Budd Wheel Deep With Double Opening



Stock Code	Size	S1 (MM)	S2 (MM)	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
SSD-253517	35X17mm	35	17	95	13	54	52	6	980.0
SSD-253820	38X20mm	38	20	95	13	56	54	6	1,020.0
SSD-254121	41X21mm	41	21	100	14	58	54	6	1,060.0




WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches



IMPACT SOCKETS



► 1-1/2" Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
NE-38030	30mm	78	23	56	86	1	2,090.0
NE-38032	32mm	78	23	58	86	1	2,130.0
NE-38035	35mm	78	23	62	86	1	2,160.0
NE-38036	36mm	78	23	64	86	1	2,200.0
NE-38037	37mm	78	23	65	86	1	2,240.0
NE-38038	38mm	78	24	66	86	1	2,280.0
NE-38040	40mm	78	24	68	86	1	2,320.0
NE-38041	41mm	80	26	70	86	1	2,370.0
NE-38042	42mm	80	26	71	86	1	2,450.0
NE-38045	45mm	84	27	75	86	1	2,520.0
NE-38046	46mm	84	27	76	86	1	2,590.0
NE-38047	47mm	84	29	77	86	1	2,660.0
NE-38048	48mm	84	29	79	86	1	2,720.0
NE-38050	50mm	87	29	81	86	1	2,800.0
NE-38052	52mm	87	31	83	86	1	2,860.0
NE-38054	54mm	90	36	86	86	1	2,920.0
NE-38055	55mm	90	36	86	86	1	2,980.0
NE-38056	56mm	92	38	86	86	1	3,050.0
NE-38058	58mm	92	38	92	86	1	3,120.0
NE-38060	60mm	92	38	93	86	1	3,200.0
NE-38061	61mm	95	40	95	86	1	3,420.0
NE-38062	62mm	95	40	96	86	1	3,640.0
NE-38065	65mm	95	40	97	86	1	3,860.0
NE-38068	68mm	100	43	104	86	1	4,080.0
NE-38070	70mm	100	43	105	86	1	4,300.0
NE-38072	72mm	103	45	108	86	1	4,570.0
NE-38075	75mm	103	45	110	86	1	4,850.0
NE-38078	78mm	110	50	115	86	1	5,120.0
NE-38080	80mm	110	50	116	86	1	5,400.0
NE-38085	85mm	118	55	125	86	1	5,795.0
NE-38088	88mm	118	55	128	86	1	6,185.0
NE-38090	90mm	118	55	130	86	1	6,310.0
NE-38095	95mm	118	55	137	95	1	6,980.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

► 1-1/2" Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
NE-38100	100mm	125	58	140	95	1	8,060.0
NE-38105	105mm	125	58	150	95	1	9,120.0
NE-38110	110mm	125	58	156	95	1	10,250.0
NE-38115	115mm	135	65	160	95	1	10,540.0
NE-38120	120mm	135	65	168	95	1	10,610.0
NE-38125	125mm	135	65	175	95	1	13,000.0
OE-38030	1-3/16"	78	23	56	86	1	1,950.0
OE-38031	1-1/4"	78	23	58	86	1	1,960.0
OE-38033	1-5/16"	78	23	60	86	1	2,010.0
OE-38035	1-3/8"	78	23	62	86	1	2,190.0
OE-38036	1-7/16"	78	23	64	86	1	2,195.0
OE-38038	1-1/2"	78	24	66	86	1	2,200.0
OE-38039	1-9/16"	78	24	68	86	1	2,230.0
OE-38041	1-5/8"	80	26	70	86	1	2,340.0
OE-38043	1-11/16"	80	26	71	86	1	2,430.0
OE-38044	1-3/4"	84	27	75	86	1	2,510.0
OE-38046	1-13/16"	84	27	76	86	1	2,550.0
OE-38048	1-7/8"	84	29	78	86	1	2,570.0
OE-38049	1-15/16"	87	29	80	86	1	2,595.0
OE-38050	2"	87	29	82	86	1	2,610.0
OE-38052	2-1/16"	87	30	83	86	1	2,640.0
OE-38054	2-1/8"	90	36	86	86	1	2,670.0
OE-38055	2-3/16"	90	36	86	86	1	2,690.0
OE-38057	2-1/4"	92	38	86	86	1	2,840.0
OE-38059	2-5/16"	92	38	92	86	1	2,990.0
OE-38060	2-3/8"	92	38	93	86	1	3,040.0
OE-38062	2-7/16"	95	40	96	86	1	3,070.0
OE-38063	2-1/2"	95	40	97	86	1	3,090.0
OE-38065	2-9/16"	95	40	97	86	1	3,490.0
OE-38067	2-5/8"	100	43	103	86	1	3,730.0
OE-38068	2-11/16"	100	43	104	86	1	3,810.0
OE-38070	2-3/4"	100	43	105	86	1	3,980.0
OE-38072	2-13/16"	103	45	108	86	1	4,010.0
OE-38073	2-7/8"	103	45	108	86	1	4,290.0
OE-38074	2-15/16"	103	45	110	86	1	4,440.0
OE-38075	3"	103	45	110	86	1	4,530.0
OE-38077	3-1/16"	110	50	115	86	1	4,820.0
OE-38078	3-1/8"	110	50	116	86	1	5,090.0
OE-38080	3-3/16"	110	50	125	86	1	5,200.0
OE-38081	3-1/4"	110	50	125	86	1	5,320.0
OE-38083	3-5/16"	118	55	125	86	1	5,690.0
OE-38085	3-3/8"	118	55	125	86	1	5,730.0


**WARNING!**

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

► 1-1/2" Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
OE-38086	3-7/16"	118	55	128	86	1	5,940.0
OE-38088	3-1/2"	118	55	130	86	1	6,190.0
OE-38089	3-9/16"	118	55	130	86	1	6,380.0
OE-38091	3-5/8"	118	55	130	86	1	6,510.0
OE-38092	3-11/16"	118	55	130	86	1	6,570.0
OE-38094	3-3/4"	118	55	137	95	1	6,980.0
OE-38095	3-13/16"	125	58	140	95	1	7,040.0
OE-38097	3-7/8"	125	58	140	95	1	8,320.0
OE-38098	3-15/16"	125	58	140	95	1	8,370.0
OE-38100	4"	125	58	140	95	1	8,440.0
OE-38102	4-1/16"	125	58	146	95	1	8,530.0
OE-38103	4-1/8"	125	58	150	95	1	9,110.0
OE-38105	4-3/16"	125	58	150	95	1	9,230.0
OE-38106	4-1/4"	125	58	150	95	1	9,350.0
OE-38108	4-5/16"	125	58	156	95	1	9,430.0
OE-38109	4-3/8"	125	58	160	95	1	9,570.0
OE-38111	4-7/16"	125	58	160	95	1	9,680.0
OE-38113	4-1/2"	135	65	160	95	1	10,500.0
OE-38115	4-5/8"	135	65	165	95	1	10,220.0
OE-38119	4-3/4"	135	65	168	95	1	10,370.0
OE-38122	4-7/8"	135	68	177	98	1	11,900.0
OE-38125	5"	135	68	177	98	1	13,800.0

► 1-1/2" Dr Hexagon Deep Sockets



Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QE-38041	41mm	115	30	72	86	1	2,900.0
QE-38042	42mm	115	32	72	86	1	3,200.0
QE-38046	46mm	115	34	78	86	1	3,550.0
QE-38050	50mm	135	34	81	86	1	3,730.0
QE-38054	54mm	140	37	86	86	1	3,850.0
QE-38055	55mm	140	37	86	86	1	4,010.0



IMPACT SOCKETS

► 1-1/2" Dr Hexagon Deep Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
QE-38060	60mm	150	40	94	86	1	5,060.0
QE-38063	63mm	150	43	97	86	1	5,750.0
QE-38065	65mm	150	45	100	86	1	6,010.0
QE-38070	70mm	160	48	106	86	1	6,390.0
QE-38075	75mm	170	50	112	86	1	7,330.0
QE-38077	77mm	170	52	115	86	1	7,850.0
QE-38080	80mm	170	54	118	86	1	8,140.0
QE-38085	85mm	170	58	125	86	1	8,230.0
QE-38090	90mm	170	60	131	86	1	9,510.0
QE-38095	95mm	180	62	138	95	1	10,700.0
QE-38100	100mm	185	70	140	95	1	12,400.0
QE-38105	105mm	195	70	150	95	1	13,800.0
QE-38110	110mm	195	90	156	95	1	15,400.0
QE-380115	115mm	195	90	160	95	1	17,000.0
QE-380120	120mm	205	90	168	95	1	18,500.0
RE-38041	1-5/8"	115	30	72	86	1	2,950.0
RE-38043	1-11/16"	115	34	74	86	1	3,280.0
RE-38044	1-3/4"	115	34	75	86	1	3,350.0
RE-38046	1-13/16"	115	34	78	86	1	3,590.0
RE-38048	1-7/8"	115	36	80	86	1	3,700.0
RE-38049	1-15/16"	115	36	81	86	1	3,880.0
RE-38051	2"	135	36	83	86	1	4,010.0
RE-38052	2-1/16"	140	39	84	86	1	4,270.0
RE-38054	2-1/8"	140	39	86	86	1	4,360.0
RE-38056	2-3/16"	140	39	88	86	1	4,900.0
RE-38057	2-1/4"	150	41	90	86	1	5,000.0
RE-38059	2-5/16"	150	41	92	86	1	5,180.0
RE-38060	2-3/8"	150	43	94	86	1	5,400.0
RE-38062	2-7/16"	150	43	96	86	1	5,500.0
RE-38063	2-1/2"	150	43	98	86	1	5,850.0
RE-38065	2-9/16"	150	45	100	86	1	6,290.0
RE-38067	2-5/8"	150	47	102	86	1	6,400.0
RE-38068	2-11/16"	150	47	104	86	1	6,510.0
RE-38070	2-3/4"	160	47	106	86	1	6,780.0
RE-38072	2-13/16"	160	49	108	86	1	6,881.0
RE-38073	2-7/8"	160	49	109	86	1	7,040.0
RE-38075	2-15/16"	170	51	112	86	1	7,200.0




WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches



IMPACT SOCKETS



► 2-1/2" Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
NG-63070	70mm	130	43	110	127	1	7,150.0
NG-63075	75mm	140	43	118	127	1	8,010.0
NG-63077	77mm	140	48	122	127	1	8,120.0
NG-63080	80mm	140	48	124	127	1	8,230.0
NG-63085	85mm	140	48	130	127	1	8,260.0
NG-63090	90mm	145	54	136	127	1	9,270.0
NG-63095	95mm	145	54	143	127	1	9,770.0
NG-63100	100mm	150	57	147	127	1	10,340.0
NG-63105	105mm	155	61	155	127	1	11,620.0
NG-63110	110mm	160	64	161	127	1	12,770.0
NG-63115	115mm	165	65	167	127	1	13,780.0
NG-63120	120mm	170	71	176	127	1	15,210.0
NG-63125	125mm	175	75	181	127	1	17,060.0
NG-63130	130mm	175	75	188	127	1	19,530.0
NG-63135	135mm	180	79	195	127	1	21,120.0
NG-63140	140mm	180	79	202	127	1	20,250.0
NG-63145	145mm	185	83	208	127	1	23,720.0
NG-63150	150mm	185	87	215	127	1	26,050.0
NG-63155	155mm	190	91	223	127	1	27,850.0
NG-63160	160mm	190	91	227	127	1	29,200.0
NG-63165	165mm	195	95	235	127	1	30,500.0
NG-63170	170mm	195	100	241	127	1	31,850.0
NG-63175	175mm	200	105	248	127	1	33,200.0
NG-63180	180mm	200	105	254	127	1	34,500.0
NG-63185	185mm	210	110	258	152	1	36,500.0
NG-63190	190mm	210	110	265	152	1	38,800.0
NG-63200	200mm	220	115	275	152	1	43,000.0
OG-63075	3"	140	48	120	127	1	7,970.0
OG-63078	3-1/8"	140	51	124	127	1	8,130.0
OG-63081	3-1/4"	140	51	127	127	1	8,320.0
OG-63085	3-3/8"	140	51	131	127	1	8,440.0
OG-63088	3-1/2"	140	51	135	127	1	8,840.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT SOCKETS

► 2-1/2" Dr Hexagon Regular Sockets

Stock Code	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
OG-63091	3-5/8"	145	54	139	127	1	9,360.0
OG-63094	3-3/4"	145	54	143	127	1	9,680.0
OG-63097	3-7/8"	150	58	147	127	1	10,580.0
OG-63100	4"	150	58	151	127	1	10,670.0
OG-63103	4-1/8"	155	61	155	127	1	11,350.0
OG-63106	4-1/4"	160	64	159	127	1	12,410.0
OG-63111	4-3/8"	165	67	163	127	1	12,800.0
OG-63113	4-1/2"	165	67	167	127	1	13,820.0
OG-63116	4-5/8"	170	71	172	127	1	15,100.0
OG-63119	4-3/4"	170	71	176	127	1	15,340.0
OG-63122	4-7/8"	175	75	181	127	1	15,710.0
OG-63125	5"	175	75	185	127	1	16,830.0
OG-63128	5-1/8"	175	75	188	127	1	19,570.0
OG-63131	5-1/4"	175	75	193	127	1	20,320.0
OG-63135	5-3/8"	180	79	197	127	1	21,790.0
OG-63138	5-1/2"	180	79	202	127	1	23,200.0
OG-63141	5-5/8"	185	83	206	127	1	24,100.0
OG-63144	5-3/4"	185	83	210	127	1	25,000.0
OG-63147	5-7/8"	185	87	215	127	1	25,300.0
OG-63150	6"	185	87	218	127	1	27,000.0
OG-63153	6-1/8"	190	91	223	127	1	28,600.0
OG-63156	6-1/4"	190	91	227	127	1	28,950.0
OG-63160	6-3/8"	195	95	231	127	1	29,800.0
OG-63163	6-1/2"	195	95	235	127	1	31,200.0
OG-63166	6-5/8"	195	100	240	127	1	31,500.0
OG-63169	6-3/4"	195	100	244	127	1	32,100.0
OG-63172	6-7/8"	200	105	248	127	1	32,800.0
OG-63175	7"	200	105	252	127	1	33,500.0




WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches



IMPACT ACCESSORIES



► Hex Allen Key Sockets

Stock Code	Sq. Drive	Size	L (MM)	T (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TH1-1204	1/2"	4mm	76	20	25	12	80.0
TH1-1205	1/2"	5mm	76	20	25	12	85.0
TH1-1206	1/2"	6mm	76	20	25	12	90.0
TH1-1207	1/2"	7mm	76	20	25	12	95.0
TH1-1208	1/2"	8mm	76	25	25	12	100.0
TH1-1209	1/2"	9mm	76	25	25	12	105.0
TH1-1210	1/2"	10mm	76	25	25	12	110.0
TH1-1211	1/2"	11mm	76	25	25	12	125.0
TH1-1212	1/2"	12mm	76	25	25	6	130.0
TH1-1213	1/2"	13mm	76	25	25	6	138.0
TH1-1214	1/2"	14mm	76	25	25	6	148.0
TH1-1215	1/2"	15mm	76	25	25	6	160.0
TH1-1216	1/2"	16mm	76	25	25	6	170.0
TH1-1217	1/2"	17mm	76	25	25	6	180.0
TH1-1218	1/2"	18mm	76	25	25	6	195.0
TH1-1219	1/2"	19mm	76	25	25	6	210.0
TH2-1204	1/2"	3/16"	76	20	25	12	82.0
TH2-1205	1/2"	7/32"	76	20	25	12	87.0
TH2-1206	1/2"	1/4"	76	20	25	12	90.0
TH2-1207	1/2"	9/32"	76	20	25	12	95.0
TH2-1208	1/2"	5/16"	76	25	25	12	98.0
TH2-1210	1/2"	3/8"	76	25	25	12	105.0
TH2-1211	1/2"	7/16"	76	25	25	12	128.0
TH2-1213	1/2"	1/2"	76	25	25	6	134.0
TH2-1214	1/2"	9/16"	76	25	25	6	150.0
TH2-1216	1/2"	5/8"	76	25	25	6	170.0
TH2-1217	1/2"	11/16"	76	25	25	6	185.0
TH2-1219	1/2"	3/4"	76	25	25	6	208.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT ACCESSORIES

▶ Hex Allen Key Sockets

Stock Code	Sq. Drive	Size	L (MM)	T (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TT1-1910	3/4"	10mm	100	20	44	6	470.0
TT1-1912	3/4"	12mm	100	20	44	6	480.0
TT1-1914	3/4"	14mm	100	20	44	6	490.0
TT1-1917	3/4"	17mm	100	20	44	6	560.0
TT1-1919	3/4"	19mm	100	20	44	6	580.0
TT1-1922	3/4"	22mm	100	20	44	6	620.0
TT1-1924	3/4"	24mm	100	20	44	6	670.0
TT1-1927	3/4"	27mm	100	20	44	6	750.0
TT1-1928	3/4"	28mm	100	20	44	6	770.0
TT1-1929	3/4"	29mm	100	20	44	6	780.0
TT1-1930	3/4"	30mm	100	20	44	6	800.0
TT1-1932	3/4"	32mm	100	20	44	6	890.0
TT1-1933	3/4"	33mm	100	20	44	6	1,050.0
TT1-1934	3/4"	34mm	100	20	44	6	1,120.0
TT1-1935	3/4"	35mm	100	20	44	6	1,150.0
TT1-1936	3/4"	36mm	100	20	44	6	1,180.0
TT1-1938	3/4"	38mm	100	20	44	6	1,240.0
TT2-1910	3/4"	3/8"	100	20	44	6	470.0
TT2-1911	3/4"	7/16"	100	20	44	6	480.0
TT2-1913	3/4"	1/2"	100	20	44	6	490.0
TT2-1914	3/4"	9/16"	100	20	44	6	510.0
TT2-1916	3/4"	5/8"	100	20	44	6	530.0
TT2-1917	3/4"	11/16"	100	20	44	6	540.0
TT2-1919	3/4"	3/4"	100	20	44	6	580.0
TT2-1920	3/4"	13/16"	100	20	44	6	590.0
TT2-1922	3/4"	7/8"	100	20	44	6	610.0
TT2-1924	3/4"	15/16"	100	20	44	6	665.0
TT2-1925	3/4"	1"	100	20	44	6	720.0
TT2-1927	3/4"	1-1/16"	100	20	44	6	750.0
TT2-1929	3/4"	1-1/8"	100	20	44	6	810.0
TT2-1930	3/4"	1-3/16"	100	20	44	6	870.0
TT2-1931	3/4"	1-1/4"	100	20	44	6	930.0
TT2-1933	3/4"	1-5/16"	100	20	44	6	980.0
TT2-1935	3/4"	1-3/8"	100	20	44	6	1,030.0
TT2-1936	3/4"	1-7/16"	100	20	44	6	1,190.0
TT2-1938	3/4"	1-1/2"	100	20	44	6	1,220.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT ACCESSORIES

► Hex Allen Key Sockets

Stock Code	Sq. Drive	Size	L (MM)	T (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TD1-2510	1"	10mm	100	20	54	6	770.0
TD1-2512	1"	12mm	100	20	54	6	780.0
TD1-2514	1"	14mm	100	20	54	6	790.0
TD1-2517	1"	17mm	100	20	54	6	810.0
TD1-2519	1"	19mm	100	20	54	6	860.0
TD1-2522	1"	22mm	100	20	54	6	870.0
TD1-2524	1"	24mm	100	20	54	6	930.0
TD1-2527	1"	27mm	100	20	54	6	990.0
TD1-2528	1"	28mm	10	20	54	6	1,010.0
TD1-2530	1"	30mm	10	20	54	6	1,030.0
TD1-2532	1"	32mm	10	20	54	6	1,120.0
TD1-2533	1"	33mm	10	20	54	6	1,160.0
TD1-2536	1"	36mm	10	20	54	6	1,190.0
TD1-2538	1"	38mm	10	20	54	6	1,290.0
TD1-2541	1"	41mm	10	20	54	6	1,360.0
TD1-2546	1"	46mm	10	20	54	6	2,000.0
TD2-2513	1"	1/2"	100	20	54	6	770.0
TD2-2514	1"	9/16"	100	20	54	6	780.0
TD2-2516	1"	5/8"	100	20	54	6	790.0
TD2-2519	1"	3/4"	100	20	54	6	840.0
TD2-2520	1"	13/16"	100	20	54	6	860.0
TD2-2522	1"	7/8"	100	20	54	6	870.0
TD2-2525	1"	1"	100	20	54	6	880.0
TD2-2527	1"	1-1/16"	100	20	54	6	1000.0
TD2-2529	1"	1-1/8"	100	20	54	6	1020.0
TD2-2530	1"	1-3/16"	100	20	54	6	1050.0
TD2-2531	1"	1-1/4"	100	20	54	6	1225.0
TD2-2533	1"	1-5/16"	100	20	54	6	1278.0
TD2-2535	1"	1-3/8"	100	20	54	6	1285.0
TD2-2538	1"	1-1/2"	100	20	54	6	1375.0
TD2-2541	1"	1-5/8"	100	20	54	6	1480.0
TD2-2544	1"	1-3/4"	100	20	54	6	1800.0
TD2-2546	1"	1-13/16"	100	20	54	6	2150.0
TE1-3819	1-1/2"	19mm	120	20	86	1	1,700.00
TE1-3822	1-1/2"	22mm	120	20	86	1	1,850.00



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT ACCESSORIES

▶ Hex Allen Key Sockets


Stock Code	Sq. Drive	Size	L (MM)	T (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TE1-3824	1-1/2"	24mm	120	20	86	1	1,970.00
TE1-3827	1-1/2"	27mm	120	20	86	1	2,100.00
TE1-3830	1-1/2"	30mm	120	20	86	1	2,250.00
TE1-3832	1-1/2"	32mm	120	20	86	1	2,380.00
TE1-3833	1-1/2"	33mm	120	20	86	1	2,500.00
TE1-3836	1-1/2"	36mm	120	20	86	1	2,650.00
TE1-3838	1-1/2"	38mm	120	20	86	1	2,800.00
TE1-3841	1-1/2"	41mm	120	20	86	1	3,000.00
TE1-3846	1-1/2"	46mm	120	20	86	1	3,140.00
TE1-3850	1-1/2"	50mm	120	20	86	1	3,320.00
TE1-3855	1-1/2"	55mm	120	20	86	1	3,580.00
TE2-3819	1-1/2"	3/4"	120	20	86	1	1,720.00
TE2-3820	1-1/2"	13/16"	120	20	86	1	1,800.00
TE2-3822	1-1/2"	7/8"	120	20	86	1	1,880.00
TE2-3824	1-1/2"	15/16"	120	20	86	1	1,950.00
TE2-3825	1-1/2"	1"	120	20	86	1	2,020.00
TE2-3827	1-1/2"	1-1/16"	120	20	86	1	2,150.00
TE2-3829	1-1/2"	1-1/8"	120	20	86	1	2,200.00
TE2-3830	1-1/2"	1-3/16"	120	20	86	1	2,300.00
TE2-3831	1-1/2"	1-1/4"	120	20	86	1	2,320.00
TE2-3833	1-1/2"	1-5/16"	120	20	86	1	2,530.00
TE2-3835	1-1/2"	1-3/8"	120	20	86	1	2,620.00
TE2-3838	1-1/2"	1-1/2"	120	20	86	1	2,720.00
TE2-3841	1-1/2"	1-5/8"	120	20	86	1	2,790.00
TE2-3844	1-1/2"	1-3/4"	120	20	86	1	2,820.00
TE2-3846	1-1/2"	1-13/16"	120	20	86	1	2,860.00
TE2-3851	1-1/2"	2"	120	20	86	1	3,020.00
TE2-3854	1-1/2"	2-1/8"	120	20	86	1	3,140.00
TE2-3856	1-1/2"	2-3/16"	120	20	86	1	3,200.00



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches


IMPACT ACCESSORIES



L-Handle

Stock Code	Sq. Dr.	L (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
A1-19315	3/4"	450	25	12	1,950.0
A2-25600	1"	550	34	6	5,110.0

Adaptor




Stock Code	F	M	L (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AA-09/2	3/8"F	1/2"M	36	22	12	60.0
AB-12/1	1/2"F	3/8"M	38	25	12	70.0
AB-12/3	1/2"F	3/4"M	48	30	6	165.0
AC-19/2	3/4"F	1/2"M	56	44	12	310.0
AC-19/3	3/4"F	1"M	63	44	12	450.0
AD-25/1	1"F	3/4"M	76	54	6	670.0
AD-25/2	1"F	1-1/2"M	90	54	6	1,130.0
AE-37/1	1-1/2"F	1"M	100	86	1	2,160.0
AE-38/4	1-1/2"F	2-1/2"M	120	86	1	4,030.0
AG-63/2	2-1/2"F	1-1/2"M	138	127	1	7,150.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches


IMPACT ACCESSORIES



► Universal Joint

Stock Code	Sq. Drive	L (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
BA-1075	3/8"	50	6	110.0
BB-12075	1/2"	60	3	210.0
BC-19105	3/4"	105	6	520.0
BD-25133	1"	133	6	1,050.0
BE-38182	1-1/2"	182	1	4,270.0

► Sliding T-Handle



Stock Code	Sq. Dr.	L (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
CD-12300	1/2"	300	24	12	510.0
CD-19480	3/4"	500	37	12	1,600.0
CD-25640	1"	750	49	6	4,350.0




WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches



IMPACT ACCESSORIES



► Extension Bar

Stock Code	Sq. Dr.	L (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
EA-10125	3/8"	125mm	19	12	130.0
EA-10250	3/8"	250mm	19	12	260.0
EB-12075	1/2"	75mm	25	6	150.0
EB-12100	1/2"	100mm	25	12	185.0
EB-12125	1/2"	125mm	25	12	230.0
EB-12150	1/2"	150mm	25	12	270.0
EB-12200	1/2"	200mm	25	12	350.0
EB-12250	1/2"	250mm	25	12	430.0
EC-19075	3/4"	75mm	44	6	480.0
EC-19100	3/4"	100mm	44	6	635.0
EC-19125	3/4"	125mm	44	6	720.0
EC-19150	3/4"	150mm	44	6	810.0
EC-19175	3/4"	175mm	44	6	870.0
EC-19200	3/4"	200mm	44	6	970.0
EC-19250	3/4"	250mm	44	4	1,160.0
EC-19300	3/4"	300mm	44	4	1,370.0
EC-19330	3/4"	330mm	44	4	1,470.0
EC-19400	3/4"	400mm	44	4	1,740.0
ED-25150	1"	150mm	54	5	1,320.0
ED-25175	1"	175mm	54	4	1,480.0
ED-25200	1"	200mm	54	3	1,660.0
ED-25250	1"	250mm	54	3	2,010.0
ED-25300	1"	300mm	54	3	2,050.0
ED-25330	1"	330mm	54	2	2,550.0
ED-25400	1"	400mm	54	1	3,040.0
EE-38125	1-1/2"	125mm	86	1	3,390.0
EE-38250	1-1/2"	250mm	86	1	5,620.0
EE-38300	1-1/2"	300mm	86	1	6,390.0
EE-38500	1-1/2"	500mm	86	1	9,550.0
EG-63125	2-1/2"	125mm	127	1	10,500.0
EG-63250	2-1/2"	250mm	127	1	14,800.0
EG-63500	2-1/2"	500mm	127	1	19,800.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches

IMPACT ACCESSORIES

► Pry Bar / Tyre Levers



Stock Code	L (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
FF-0400	400mm	24	750.0
FF-0450	450mm	24	800.0



Stock Code	L (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
FF-0600	600mm	12	1,800.0



Stock Code	L (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
TL-0600	600mm	24	1,300.0



WARNING!

Wear safety goggles at all time. (User and bystanders). Do not use chrome or handtools with power wrenches
Use only impact sockets and accessories with power impact wrenches